

COLLECTION FEATURES

CABINETS NW



The cabinets body and doors are made of 18 mm thick laminated chipboard. Tops are made of 25mm thick laminated chipboard, with a 2 mm laser ABS edge polymer functional layer, which provides a zero seam effect and improves the moisture resistance and heat resistance.

- Ergonomic metall door handles
- Frosted glass with a thickness of 4 mm in an aluminum frame



* by request

















The body and the back wall of the cupboards are made of 18 mm thick chipboard and are joint by eccentric ties. This structure ensures high rigidity that allows the cupboard to be used for zoning office space or to be placed «with their backs» to stationary glass partitions.



Hettich Intermat hinges (Germany) with an opening angle of 110° with door closers for smooth closing of doors. The hinges are of high quality, have been tested and withstand at least 80,000 opening cycles.





Beige



Anthracite*



Grey*

* by request

TABLE NT



Office tables on metal structure are convenient and reliable in operation, have an extended service life and an attractive appearance. The design allows you to form both a separate workplace and multiseat workstations for two, four, six or more employees.



PROMET **E**





TABLETOPS are made of environmentally friendly laminated chipboard, with a laser ABS edge 2 mm thick with a polymer functional layer. It provides zero seam effect and improves the moisture resistance and heat resistance of product elements.





U-shaped metal supports made of pipes with a cross section of 60x30 mm, with hidden height adjustment to compensate for floor irregularities, the effect of a "floating" countertop. The rigidity of the structure is provided by a unique system of metal frame elements of its own design. Two color options are metallic gray moire and dark gray anthracite moire.

MOBILE PEDESTAL NPW



The pedestal body and front panels are made of 18mm laminated chipboard, with a laser ABS edge with a thickness of 2 mm with a polymer functional layer, which provides a zero seam effect and improves the moisture resistance and heat resistance. Chipboard top with a thickness of 25 mm, laser ABS edge with a thickness of 2 mm.





Ball-bearing slides with full extention – are durable and silent, provide a soft movement of the drawers regardless of the load.



The stationery tray in the pedestal allows you to keep small items necessary for work in order and at hand, such as pens, pencils, paper clips, stickers, etc.



Wheel supports with a stopper block the pedestal in a stationary state during operation.

^{*} by request

FURNITURE FOR THE PERSONEL



THE PECULIARITY OF THE COLLECTION IS THE RATIONALITY AND EFFICIENCY OF WORKING AREAS

It is a set of furniture that helps you to create unique workplaces and storage systems in different rooms, starting from workrooms and ending with office spaces of any size. The variety and capacity of storage systems allows you to rationally and efficiently organize the workspace.

The furniture is made of environmentally friendly laminated chipboard. Office tables on U-shaped supports made of metal pipe with a cross section of 60x30 mm, convenient and reliable in operation. The rigidity of the structure is provided by a unique fastening system of metal frame elements of its own design. Two vari-ants of color - gray metallic moire and anthracite moire.

For accurate placement of wires and network filters under the table, it is additionally possible to install cable channels in the form of trays.

They are performed in two types:

- welded NT(G)
- steel sheet colored as the supports NT(S)







NT(S)



- Table NT 140x70 Natural Elm/anthracite 4 pcs.
- Side pedestal NPW-407 L4 Natural Elm/Beige 4 pcs.

- Table NT 140x70 Natural Elm/anthracite 4 pcs.
- Mobile pedestal NPW-406 L3 Natural Elm/Beige 4 pcs.





WORKSTATIONS



QUALITY, CONVENIENCE AND FLEXIBILITY OF THE ORGANIZATION OF WORK AREAS

Staff furniture allows you to create a modern and functional office space. Workstations will be the ideal solution to this problem. Such desktop systems, united by a common frame with or without additional partitions, save space and money, set the overall style of the room and increase the functionality of the work area.

Workstations can be assembled into multi-seat workstations for two, four, six or more employees.





- Screen NT 140 Natural Elm 2 pcs.
- Wardrobe NWT 144x75 natural/beige elm 1 pcs.
- Mobile pedestal NPW-406 L3 Natural Elm/Beige 4 pcs.



■ Workstation NT 320x144 Natural Elm/anthracite – 1 pcs.

- Panel NT 140 Natural Elm 3 pcs.
- Mobile pedestal NPW-406 L3 Natural Elm/Beige 6 pcs.



Zoning of workplaces with the help of chipboard panels.



Additionally, metal protective panels/painted in the color of a metal frame or screens and panels made of chipboard with a thickness of 18 mm can be installed on the tables. Fastening to tables by means of metal brackets of unique design of own development.



MANAGER'S OFFICE



LIGHTNESS, FUNCTIONALITY AND MODERN DESIGN

The furniture for the executive's office combines practicality and elegant design. Pieces of furniture selected in the same style will emphasize the importance of this space, create convenience and comfort. Lightness of cabinet designs and «floating» tabletops create a sense of visual

lightness and weightlessness. Thoughtful proportions and clear lines combined with high-quality materials set the business tone for any room.







- Briefing console NT 120x60 white wood/anthracite
- Sideboard NPW-408 L4 white wood/anthracite

- Table NT 140x70 white wood/ antracite
- Office equipment pedestal NWP-410 white wood/antracite



Workplace area can be increased using the side table NPW-408 L4.



Office equipment Pedestal WP-410.



MEETING TABLES



IMPECCABLE PROPORTIONS, CONCISENESS AND RESTRAINT

An integral part of any office is a meeting room. And the outcome of meetings and negotiations with clients or partners largely depends on how it is equipped. The interior of the meeting room is decorated in the same style as the rest of the premises in the office, the central element of which is a meeting table. Depending on the intended number of participants in meetings and partners who will sit at the table at the same time, its dimensions are determined.


We offer a modular system of meeting tables. Our tables are rectangular or square in shape, from which, with the help of common (intermediate) supports, you can create compositions of any length and width.





With the help of hidden adjustable supports, it is possible to compensate for the unevenness of the floor.







Meeting table NT 140x144 white wood/grey



11

WORKPLACES. WORKSTATIONS. BRIEFING CONSOLES. METING TABLES

Design:

- Tabletop laminated chipboard 25 mm, ABS laser edge 2 mm
- Frame: two steel U-shaped supports made of pipe 60x30 mm
- The supports are connected by two steel traverses using bolts
- Powder coating
- Supports with hidden height adjustment
- Delivered disassembled

Features:

- Visually «floating» tabletop
- The rigidity of the structure is provided by a unique fastening system of steelframe elements
- The possibility to install desktop panels, protective panels, cable channels (not included in the table set)
- Tables are combined according to the materials of manufacture and design with office cabinets of the NP series





RAL 7016 Dark Grey Grey, Moire







Natural Elm



Dark Oak*



Scandinavian Light wood*

^{*} by request

MODEL RANGE | NT-SERIES



Office tables on a steel frame are designed for wide use at home and at work, arrangement of offices, classrooms, meeting rooms, schools. Convenient and easy to operate.

Tables NT Tables NT Tables NT WxD. mm WxD, mm WxD, mm 1000x600* 1000x700 1200x800* 1200x600* 1200x700 1400x800* 1400x600* 1400x700 1600x800* 1600x600* 1600x700 1800x800*

Workstations – a system consisting of several workstations on a single metal frame. This approach to office equipment allows you to save on metal supports, frees up space under tables, makes the office stylish and visually lighter and airy. **The briefing console** is an additional element to the desktop. Allows you to organize a compact workplace for short meetings.



Meeting tables – an essential attribute of a modern office. Rigid structure provided by U-shaped supports made of pipe 60x30 mm. Supports with hidden height adjustment.



OFFICE CUPBOARDS

Design:

- The frame and the back wall of the cabinets are made of chipboard with a thickness of 18 mm and are connected by eccentric ties, which ensures high rigidity of the structure
- The facades of the cabinets are made of chipboard with a thickness of 18 mm, with a laser ABS edge with a thickness of 2 mm with a polymer functional layer (Germany), which provides a zero seam effect and improves the moisture resistance and heat resistance of the facade elements
- 25 mm thick chipboard tops, 2 mm thick laser ABS edge
- Shelves with a thickness of 18 mm, shelf holders with a clamping eccentric provide increased reliability
- Black plastic supports with a diameter of 50 mm, height of 30 mm, with height adjustment to compensate for floor irregularities
- Delivered disassembled


Features:

- Rigid structure
- Ergonomic steel door handles
- Doors with an opening angle of 110 degrees with closers, smooth and silent running
- Hettich hinges have been tested and can withstand at least 80.000 opening cycles











Anthracite*



Natural Elm



Dark Walnut*



Scandinavian

^{*} by request

MODEL RANGE | NW-SERIES

Hight Cupboards, H=2030 mm

Cupboard NW 2080/2G with glassdoor

WxDxH, mm 800x420x2030 4 shelves



Cupboard NW 2080

WxDxH, mm 800x420x2030



Cupboard NW 2080/4

WxDxH, mm 800x420x2030 4 shelves



800x420x2030 4 shelves



Cupboard NW 2080S

WxDxH, mm 800x420x2030 4 shelves



4 shelves



Wardrobe NW 2080L

WxDxH, mm 800x420x2030 wardrobe set with shoe shelf



Medium hight cupboards, H=1230 mm

Cupboard NW 1280/2G with glassdoor

WxDxH. mm 800x420x1230 4 shelves



Cupboard NW 1280/2

WxDxH. mm 800x420x1230 2 shelves



Cupboard NW 1280

Cupboard NW 2080/2

WxDxH, mm

WxDxH. mm 800x420x1230 2 shelves



Cupboard NW 1280S

WxDxH. mm 800x420x1230 2 shelves



Low-Hight Cupboards, H=830 mm

Cupboard NW 0880

WxDxH. mm 800x420x830 1 shelf



Cupboard NW 0880S

WxDxH. mm 800x420x830 1 shelf



Sliding door

Sliding door NWT

WxDxH, mm 1240x420x750 1440x420x750 1640x420x750 1 shelf



Sliding door NWT

WxDxH. mm 1240x420x1230 1440x420x1230 1640x420x1230 2 shelf





PEDESTAL. MOBILE PEDESTALS. PANELS AND PARTITIONS

Design:

- The pedestal body is made of chipboard with a thickness of 18 mm
- The facades of the pedestal are made of chipboard with a thickness of 18 mm, with a laser ABS edge with a thickness of 2 mm with a polymer functional layer (Germany), which provides a zero seam effect and improves the moisture resistance and heat resistance of the facade elements
- 25 mm thick chipboard top, 2 mm thick laser ABS edge

Features:

- Ergonomic steel drawer handles
- The drawers are made of chipboard and equipped with ball guides of full extension
- The mobile pedestals and side pedestals are equipped with a central lock and equipped with a plastic tray for stationery in the top drawer





MODEL RANGE



Pedestals are a classic attribute of the workplace. Designed for systematization and convenient storage of documents, stationery and personal belongings of the employee. Side 4-drawer pedestals with an elongated top increase the working area of the main table.

PEDESTAL NPW

Side pedestal NPW-407 L4



Side pedestal NPW-408 L4



Office equipment pedestal NPW-409



Office equipment pedestal NPW-410



Mobile pedestal NPW-406 L3



WxDxH, mm 429x580x505

WxDxH, mm

Protective perforated panel NT xxxS (steel)



WxH. mm 1040x400/ 1240x400/ 1440x400

The zoning system is represented by screens (protective panels) made of chipboard with a thickness of 18 mm in the color of furniture facades, with fastening to tables using metal brackets of a unique design of its own design. The design is universal, suitable both for zoning workplaces and as a protective panel at the bottom of the table.

PERFORATED AND PROTECTIVE PANELS NT

Protective panel NT 120/140/160



WxH, mm 1040x400/ 1240x400/ 1440x400


Wire holder






NT(S) 970X106X40

CLOTHS LOCKERS



- 16 mm chipboard facades with 2 mm thick ABS laser edge with a polymer functional layer, provides a zero seam effect and improves moisture resistance and heat resistance of chipboard elements
- The back wall of the HDF is 3 mm thick for 300 mm wide lockers and 16 mm chipboard for 400 mm wide lockers
- The ability to connect cabinets with each other using an intersectional screed, forming a single wall





RELIABLE DESIGN, QUICK ASSEMBLY AND MODEL RANGE EASY OPERATION

CLOTHS LOCKER is an excellent option for the equipment of locker rooms and storage rooms in industrial and public premises: dormitories, schools, hypermarkets, medical institutions and fitness center.

WHAT GIVES YOU SAFETY?

The highlight of our furniture is vandal–proof fittings: Hettich Intermat hinges with an opening angle of 110°, a key «Praktik», secrecy of 2000 combinations or an electromechanical lock with a bracelet model VEM126. This type of lock is very convenient to use, and performs two functions: a lock and a handle.





KEY LOCK

The key lock «Praktik» (2000 combonations). There are 2 keys included. The probability of meeting two cabinets with the same locks is minimal.

ELECTRONIC LOCK VEM126

Powered by 4 AA 1.5V batteries, reading range < 1 m. Operating time from a set of batteries: 10000 openings or about 2.5 years in standby mode. Access by: card, bracelet, tag, etc.

MODEL RANGE

SERIE: WL STANDARD HxWxD, mm: 1900x300x500







WL 12-30 two doors



WL 13-30 three doors



WL 14-30 four doors

SERIE: WL STANDARD HxWxD, mm: 1900x400x500



WL 11-40 one door



WL 12-40 two doors



WL 13-40 three doors



WL 14-40 four doors







WARRANTY 1 YEAR

SERVICE WARRANTY AND POST-WARRANTY SERVICE.

FOR ALL QUESTIONS, PLEASE CONTACT OUR REPRESENTATIVE